Combustible Dust Issues

Presented by Keith Reissig, Industrial Hygienist

Hazard Recognition

- Always the key to the game!
 - Dust Hazard?



Hazard Recognition

How about now?




Hazard Recognition

What about here?



The Basic Requirements for an EXPLOSION




Dust explosion in a work area



Dust settles on flat surfaces

Some event disturbs the settled dust into a cloud



- Perform an assessment and identify if...
 - ▶ The material is combustible when finely divided
 - ▶ Will the material ignite and combust




- ► These dusts include, but are not limited to:
 - Metal dust such as steel, aluminum, and magnesium
 - ▶ Wood dust
 - Coal and other carbon dusts
 - Plastic dust and additives
 - ▶ Biosolids
 - Other organic dust such as sugar, flour, cocoa, paper, soap, and dried blood
 - Certain textile materials

- Perform an assessment and identify if...
 - A process can produce finely divided materials
 - ► The hazard increases as the particle size decreases



- Perform an assessment and identify if...
 - There are areas where dust may build up
 - Look up and down for flat surfaces





- Perform an assessment and identify...
 - Hidden areas where dust may collect unnoticed
 - Inside equipment
 - Suspended ceilings

- Perform an assessment and identify if...
 - ► Any methods that may cause the finely divided material to become suspended in the air



- Rules of thumb
 - ► Can you write in it?
 - ▶ Does it obscure the color of the surface?

Is it thicker than a paper clip (1/32nd of an inch)?



Hazard Control - Fuel

- Can the material be changed?
 - Particle size
 - Shape
 - Moisture content
 - Changes caused by process equipment

- Use different sources to determine combustibility
- Test data
 - As used
 - Chemical supplier
- MSDS sheet information
- Published tables

Hazard Control - Fuel

Agricultural Products

Egg white
Milk, powdered
Milk, nonfat, dry
Soy flour
Starch, corn
Starch, rice
Starch, wheat
Sugar
Sugar, milk
Sugar, beet
Tapioca
Whey

Agricultural Dusts

Wood flour

Alfalfa
Apple
Beet root
Carrageen
Carrot
Cocoa bean dust
Cocoa powder
Coconut shell dust
Coffee dust
Corn meal
Cornstarch
Cotton

Cottonseed Garlic powder Gluten Grass dust Green coffee Hops (malted) Lemon peel dust Lemon pulp Linseed Locust bean gum Malt Oat flour Oat grain dust Olive pellets Onion powder Parsley (dehydrated) Peach Peanut meal and skins Peat Potato Potato flour Potato starch Raw yucca seed dust Rice dust Rice flour Rice starch

Rve flour

Semolina

Soybean dust
Spice dust
Spice powder
Sugar (10x)
Sunflower
Sunflower seed dust
Tea
Tobacco blend
Tomato
Walnut dust
Wheat flour
Wheat grain dust
Wheat starch
Xanthan gum

Carbonaceous Dusts

Charcoal, activated
Charcoal, wood
Coal, bituminous
Coke, petroleum
Lampblack
Lignite
Peat, 22%H₂0
Soot, pine
Cellulose
Cellulose pulp
Cork
Corn

Chemical Dusts

Adipic acid
Anthraquinone
Ascorbic acid
Calcium acetate
Calcium stearate
Carboxy-methylcellulose
Dextrin
Lactose
Lead stearate
Methyl-cellulose
Paraformaldehyde
Sodium ascorbate
Sodium stearate
Sulfur

Metal Dusts


Aluminum Bronze Iron carbonyl Magnesium Zinc

Plastic Dusts

(poly) Acrylamide(poly) Acrylonitrile(poly) Ethylene(low-pressure process)

Epoxy resin Melamine resin Melamine, molded (phenol-cellulose) Melamine, molded (wood flour and mineral filled phenolformaldehyde) (poly) Methyl acrylate (poly) Methyl acrylate, emulsion polymer Phenolic resin (poly) Propylene Terpene-phenol resin Urea-formaldehyde/ cellulose, molded (poly) Vinyl acetate/ ethylene copolymer (poly) Vinyl alcohol (poly) Vinyl butyral (poly) Vinyl chloride/ ethylene/vinyl acetylene suspension copolymer (poly) Vinyl chloride/ vinyl acetylene emulsion copolymer


Hazard Control - Fuel



Hazard Control - Ignition


Use appropriate
 electrical equipment
 and wiring methods
 (Class I & II)





- Control
 - Static electricity
 - Smoking
 - Open flame
 - Sparks
 - Other hot¹work

Hazard Control - Ignition



Hazard Control - Ignition

- Adequately maintain equipment in dusty areas
- Proper type of industrial trucks
- Proper use of cartridge-activated tools





Hazard Control - Confinement



- Can the process be moved to a less confined area?
- Provide access to all hidden areas to permit inspection
- Inspect areas regularly
- Clean areas regularly

Hazard Control - Oxygen



Sorry, still enjoy breathing!

Hazard Control - Dispersion



- Minimize the escape of dust from process equipment
- Use dust collection systems
- Use surfaces that minimize dust accumulation

Training - Employees

- Recognize and prevent hazards
- Empowered to take preventative action
- How to alert management to a hazard



Training - Employees

- Safe work practices and procedures for their job tasks
- Must take place <u>before</u> an employee starts work as a part of HazCom



Training - Managers

- Understand it to be a hazard
- Have qualified personnel conduct a facility analysis
- Develop a prevention and protection program tailored to the operation



Regulations Concerning Combustible Dusts

- OSHA
 - General Duty Clause
 - ▶ 1910.22 General Requirements: Housekeeping
 - ▶ 1910.38 Emergency Action Plans
 - ▶ 1910.94 Ventilation
 - ▶ 1910.272 Grain Handling Facilities
 - ► 1910.307 Hazardous (classified) Locations (for electric equipment)
 - ▶ 1910.1200 Hazard Communication
- International Code Council's International Fire Code

Regulations Concerning Combustible Dusts

NFPA

- ► NFPA 61 Standard for the Prevention of Fires and Dust Explosions in Agricultural and Food Processing Facilities
- NFPA 68 Guide for Venting of Deflagrations
- ► NFPA 69 Standard on Explosion Prevention Systems
- NFPA 70 National Electrical Code
- ▶ NFPA 484 Standard for Combustible Metals, Metal Powders, and Metal Dusts
- NFPA 495 Explosive Materials Code

Regulations Concerning Combustible Dusts

- NFPA (Continued)
 - ▶ NFPA 499 Recommended Practice for the Classification of Combustible Dusts and of Hazardous (Classified) Locations for Electrical Installations in Chemical Process Areas
 - NFPA 654 Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids
 - NFPA 664 Standard for the Prevention of Fires and Explosions in Wood Processing and Woodworking Facilities

Questions?

